

Top View

Tactile/Braille Signage:

To be located in a standard position.

To be placed on the right-hand side of the pole as the reader faces the kerb.

The centre of the sign is to be level with the centre of the audio-tactile pedestrian call button.

64 34 6.8. 20 varies (S, M, L, XL) varies (S, M, L, XL) 15

Graphic setout including space allowance to accommodate future QR code

Colour sample white on Bronze

The Tactile Indicator Street signs have been developed in 4 different lengths (S, M, L, XL) to suit street name content and with 3 different aluminium cast shapes to suit a variety of smart poles and RMS poles.

Refer to *Tactile/Braille Signage - Construction Drawings* (Appendix 2) for full details and specifications.

Artwork templates for all 4 length variations are available

Size

64mm x variable lengths (S, M, L, XL)

Colours

White on Bronze background to match Dulux Precious Metropolis Bronze Pearl Satin 971-59003

Braille: Stainless steel

Braille

Must be Grade 1 Braille (uncontracted) in accordance with the criteria set out by the Australian Braille Authority.

Only standard contractions eg (ST. / RD.)

Left justified

Text

Arial

Sentence case

Cap height 20mm

Tracking 14

Embossing between 1mm & 1.5 mm high



Braille Aluminium Holder - Prototype Pilot



Braille Aluminium Holder and Tactile/Braille insert



Tactile Indicator - installed on smart pole



Tactile Indicator - installed on RMS pole





Tactile Indicator - Pilot test reading



Tactile Indicator - Pilot test reading







The following messaging rules have been developed during the pilot project and documentation phase:

General messaging

Street name -

The Tactile indicator is to show the street name on which the sign is located, followed by the property numbers directly behind the reader/sign and the letter L or R, indicating whether the shown property numbers are to the left or right of the reader.

A QR code may be added in the future to give additional audio information.

Abbreviations

Only the following abbreviations are to be used on Tactile Indicator signs:

Street St
Road Rd
Lane Ln
Avenue Ave
Crescent Cres

Property numbers directly
behing reader
to the left of the reader

Bridge St 39 – 35L

Braille translation

Traffic Islands

Only street names (no property numbers) are to be shown on tactile indicators located on traffic islands.

Unclear Property numbers

In situations where property numbers are unclear only the street name is to be shown.

Significant destinations


In situations where property numbers are available, but a significant destination is located behind the reader, the street name followed by the significant destination is to be shown, e.g. *Druitt St Town Hall, George St QVB*, etc.

This rule applies also to all locations around parks, e.g. *Elizabeth St Hyde Park*.

Martin Place

All poles at street intersections of Martin Place are to be signed with the street name and Martin Place, e.g. *George St Martin Place*

The next signs along the street intersecting with Martin Place should be signed with the street name and the property numbers up to Martin Place only.



TAXI RANK PYLON - COMPONENTS & SPECIFICATIONS 69



1. General

Refer to *Wayfinding Signage Pylon and Taxi Rank Pylon - Construction Drawings* (Appendix 1) for all construction details, including footing, structural frame, external frame and graphic panels.

2. Graphic Application

Reproduction as per artwork and colour specification only.

2.1 . Panel 1


Content: Taxi symbol Graphic application: as specified in *Wayfinding Signage Pylon* and Taxi Rank Pylon - Construction Drawings (Appendix 1) Yellow to match PMS 1235C.

2.2. Panels 2, 3 and 4

Graphic application: Direct digital print on 2-pac paint finish, colour to match Dulux powder coat Precious Metropolis Bronze Pearl Satin 9751-59003 and 30% gloss 2-pac clear coat.

Side A

Side B





Note:

Drawings are indicative only, refer to Wayfinding Signage Pylon and Taxi Rank Pylon - Construction Drawings (Appendix 1) for full details and specifications.

TAXI RANK PYLON GRAPHICS - PANEL 3 71






Note:


Drawings are indicative only, refer to Wayfinding Signage Pylon and Taxi Rank Pylon - Construction Drawings (Appendix 1) for full details and specifications.

TAXI RANK PYLON GRAPHICS - PANEL 4 72



Note:

Drawings are indicative only, refer to Wayfinding Signage Pylon and Taxi Rank Pylon - Construction Drawings (Appendix 1) for full details and specifications.



Note:

Refer to Finger and Flag Sign section (p.25) for construction details and graphic application specifications.