

Glebe Town Hall access information

Contents

About Glebe Town Hall	1
Getting to Glebe Town Hall	1
Public transport	1
Driving or parking	2
Taxis and private vehicles	2
Entrance	2
Alternative accessible entrance.....	3
Customer service	4
Toilets	4
Change and shower facilities	4
Lifts, stairs and passageways	4
Navigating Glebe Town Hall.....	5
Main Hall	5
Southern Hall.....	6
Chambers A	6
Chambers B	7
Audio communication.....	7
Kitchenette.....	7
Find out more.....	8

About Glebe Town Hall

Glebe Town Hall has been transformed into an accessible and sustainable community venue that highlights its heritage significance while providing modern facilities for contemporary events. The Town Hall offers one large hall with adjoining full commercial grade kitchen, 2 smaller halls that can be combined into 1 large room when required.

Getting to Glebe Town Hall

Public transport

There are 2 bus stops nearby on St Johns Road. One is 30m away on the northern side of St Johns Road. And the other is 40m away on the western side of Mt

Vernon Street. Both stops are serviced by route 470 that travels towards Lilyfield or Martin Place.

There is no light rail station near Glebe Town Hall. Glebe light rail station is 1km away.

There is no train station near the Town Hall. Central train station is 2.3km away.

To plan your trip, visit [Transport for NSW](#) or call 131 500.

Driving or parking

There is no on-site dedicated accessible parking at Glebe Town Hall.

There are 2 mobility parking spaces nearby. One 200m away on the eastern side of Mt Vernon Street. Another is 180m away on the eastern side of Westmoreland Street.

Taxis and private vehicles

There is no dedicated set down area for taxis and private vehicles at Glebe Town Hall.

Entrance




Pathway to the main pedestrian entrance to Glebe Town Hall is a bitumen footpath on a shallow hill. There are 8 steps leading to the main pedestrian entrance and an additional 1 step at the doorway to to the Town Hall. Steps are at least 2000mm wide. Steps include continuous handrails on both sides, nosings (non-slip edges), and tactile ground surface indicators at the bottom of the steps on the footpath.

The doors to the Town Hall are heavy double swinging doors. Pull to open. Single door opens to 670mm wide, double doors open to 1160mm wide.

Doors are operated with keypad and code. Keypad is located on left hand side of the door, mounted on a column 1400mm above ground. Code is issued by the City of Sydney.

Alternative accessible entrance

An alternative accessible entrance is 65m away at the rear of Glebe Town Hall and is accessible via Lodge Street, or Mt Vernon Street. For level access turn right at main pedestrian entrance and travel towards Lodge Street, turn left on to Lodge Street. Travel straight ahead towards the rear of the Town Hall. Accessible entrance is through a gate that opens to 2000mm wide. Travel through the gate and accessible doors are on the left.



For ramp access, turn left at main pedestrian entrance, turn right on to Mt Vernon Street and travel straight ahead towards the rear of Glebe Town Hall. Accessible entrance is through the gate that opens to 2000mm wide. Travel through the gate and turn left and travel up the ramp. Ramp is 1200mm wide and includes tactile ground surface indicators at the bottom and handrails on right hand side only. At the top of the ramp, accessible entrance is on the right.



Door is heavy double glass doors. Take caution as the doors automatically swing open outwards. Doors open to 2000mm wide. Doors are operated by keypad and code. Keypad is located on right hand side of door, mounted on door frame 1250mm above ground.

Customer service

There is no customer service or reception desk at Glebe Town Hall. The Town Hall is an unstaffed venue.

Toilets

There is 1 unisex accessible toilet at Glebe Town Hall on the ground floor. From the main pedestrian entrance, travel straight ahead and to the right hand side of the staircase. The unisex accessible toilet is on the right hand side past the women's toilet. The doorway to the accessible toilet is a heavy wooden door with glass panels. Push to open. Door opens to 860mm wide. Toilet is left hand side transfer.

There are no ambulant toilets at the Town Hall.

Change and shower facilities

There is 1 accessible change and shower facility at Glebe Town Hall. It is located together with the unisex accessible toilet on the ground floor.

From the main pedestrian entrance, travel straight ahead and to the right hand side of the staircase. The unisex accessible toilet is located on the right hand side past the women's toilet.

The doorway to the accessible toilet is a heavy wooden door with glass panels. Push to open. The door opens to 860mm wide. Change and shower facilities include bench for transfers, adjustable shower head and shower controls reachable from a seated position.


There are no ambulant change and shower facilities at the Town Hall.

Lifts, stairs and passageways

Glebe Town Hall offers a passenger lift to all 3 floors with a weight capacity of 1020kg.

For the lift, travel straight ahead from the main pedestrian entrance. Lift is on the right hand side before the stairs and exit through alternative accessible entrance. Control buttons are on the right-hand side of the lift and are reachable from a seated position. Buttons do not include braille or illumination.

The lift doors open to 890mm wide. The lift includes audio announcements and a mirror. The lift travels to basement level, ground level, level 1 for southern hall and main hall.



There are 3 individual staircases at the Town Hall.

From the main entrance, travel straight ahead to ornate wooden stairs. Leads to main hall and southern hall. There are tactile ground surface indicators at the bottom of the stairs and nosings (non-slip edges). Handrails on both side which are not continuous throughout the stair case. 23 flights of steps with 9 steps on each flight of stairs. Staircase is 840mm wide.

Stairs are located at the back of the Town Hall beside the lift. The stairs lead to main hall and southern hall. Stairs are concrete with continuous wooden railings. 3 flights of stairs, with 9 steps, 17 steps and 4 steps at top of stairs. Stairs are wider than 1000mm and include nosings (non-slip edges), and tactile ground surface indicators at the top and bottom of the stairs.

Stairs are located at the back of the Town Hall behind the lift. Stairs lead down to the basement level of the Town Hall. Stairs are concrete with continuous wooden railings. Stairs are wider than 1000mm and include nosings (non-slip edges), and tactile ground surface indicators at top and bottom of stairs.

Navigating Glebe Town Hall

Main Hall

The Main hall is located on level 1 of Glebe Town Hall.

From the ornate wooden staircase, travel straight ahead to the main hall. From the lift and stairs at the back of the Town Hall, turn left and travel straight ahead to the main hall.

The doors are heavy wooden double swinging doors. Pull to open, single doors open to 940mm wide, double doors open to 1880mm wide. There is a small lip at

the doorway where the floor transitions from polished concrete to wooden floorboards.

Hearing loop is available in the Main Hall.

Southern Hall

The Southern Hall is located on level 1. From the ornate wooden staircase, travel straight ahead to the Main Hall. From the lift and stairs at the back of Glebe Town Hall, travel straight ahead, the entrance to the Southern Hall is directly in front of the lift on level 1.

Doors area heavy wooden double swinging doors. Pull to open, single doors open to 940mm wide, double doors open to 1880mm wide. There is a small lip at the doorway where the floor transitions from polished concrete to wooden floorboards.

Hearing loop is available in the Main Hall.

Chambers A

Chambers A is located on the ground floor and be can be arranged as a single room or joined with Chambers B as one larger community room.

From the main pedestrian entrance, travel straight ahead past the ornate wooden staircase towards the back of Glebe Town Hall and the accessible entrance.

Entrance to Chambers A is on the left. Doors to Chambers A are heavy wooden double swinging doors. Pull to open, single door opens to 1030mm wide, double doors open to 2060mm wide.

Hearing loop is available in Chambers A.



Chambers B

Chambers B is located on the ground floor and can be arranged as a single room or joined with Chambers A as one larger community room.

From the main pedestrian entrance, travel straight ahead past the ornate wooden staircase. Turn left and travel down the hallway, past the doorway to Chambers A. Hallway is larger than 1000mm wide. Entrance to Chambers B is on the right.

Doors to Chambers B are heavy wooden double swinging doors with a glass panel. Pull to open, single door opens to 700mm wide and double doors open to 1400mm wide.

Hearing loop is available in Chambers B.



Audio Communication

Hearing loop is available in all rooms of Glebe Town Hall.

Kitchenette

There are 2 kitchenette facilities at Glebe Town Hall.

One commercial grade kitchen adjacent to the Main Hall on level 1. Entrance to the kitchenette is 890mm wide. There are no low height areas of the kitchenette with leg clearance underneath. The kitchen is not equipped with braille, colours or luminescence.

Smaller kitchenette can be found on the ground floor. From the main pedestrian entrance travel straight ahead along the left hand side of the ornate staircase. Turn left, travel down the hallway past the chambers and staircase. Hallway is larger than 1000mm wide. Entrance to kitchenette is on the left. Entrance to Kitchenette

is 890mm wide. There are no low height areas with leg clearance underneath. Kitchenette is not equipped with braille, colours or luminescence.

Find out more

To find out more about the Glebe Town Hall and the activities on offer, contact Community Venues team at the City of Sydney on 02 9265 9333.