ISO A1 594mm x 841mm



LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- TCS# 0000 TCS PLAN REFERENCE
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE
- EXISTING STREETLIGHT POLE TO BE REMOVED
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- (3) (3A) BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- EXISTING GARDEN BED TO BE RETAINED
- PROPOSED TREE
- EXISTING TREES TO REMAIN

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

Last saved by: OUYANGY1 (2024-08-20) Last Plotted: 2024-08-21
Filename: C:\PWWORKING\AECOM_DS10_AUYING.OUYANG@AECOM.COM\D0415950\60616465-019-SHT-1000-CI-0101.DWG

AECOM

CONSULTANT

AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT

Crown Street Improvements

CLIENT

CITY OF SYDNEY

SYDNEYCIVIL

SCALE BAR

0 5 10 m
1:200

KEY PLAN



PROJECT MANAGEMENT INITIALS

ZJ	JM	GR
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

I/R	DATE	DESCRIPTION
06	21.08.2024	ISSUED FOR CONSTRUCTION
05	05.06.2024	ISSUED FOR APPROVAL
04	29.06.2023	CONCEPT DESIGN

FOR CONSTRUCTION

PROJECT NUMBER

60616465

SHEET TITLE

GENERAL ARRANGEMENT PLAN SHEET 1

SHEET NUMBER

60616465-019-SHT-1000-CI-0101

ISO A1 594mm x 841mm



NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- TCS# 0000 TCS PLAN REFERENCE
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE
- EXISTING STREETLIGHT POLE TO BE REMOVED
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- EXISTING GARDEN BED TO BE RETAINED
- PROPOSED TREE
- EXISTING TREES TO REMAIN

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

Last saved by: OUYANGY1 (2024-08-20) Last Plotted: 2024-08-21
Filename: C:\PWWORKING\AECOM_DS10_AUYING.OUYANG@AECOM.COM\D0415950\60616465-019-SHT-1000-CI-0102.DWG

AECOM

CONSULTANT

AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT

Crown Street Improvements

CLIENT

CITY OF SYDNEY

SYDNEYCIVIL

SCALE BAR

0 5 10 m
1:200

KEY PLAN



PROJECT MANAGEMENT INITIALS

ZJ	JM	GR
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

06	21.08.2024	ISSUED FOR CONSTRUCTION
05	05.06.2024	ISSUED FOR APPROVAL
04	29.06.2023	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER

60616465

SHEET TITLE

GENERAL ARRANGEMENT PLAN SHEET 2

SHEET NUMBER

60616465-019-SHT-1000-CI-0102

ISO A1 594mm x 841mm



LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- TCS# 0000 TCS PLAN REFERENCE
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE
- EXISTING STREETLIGHT POLE TO BE REMOVED
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- EXISTING GARDEN BED TO BE RETAINED
- PROPOSED TREE
- EXISTING TREES TO REMAIN

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

AECOM
CONSULTANT
AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT
Crown Street Improvements

CLIENT
CITY OF SYDNEY
SYDNEYCIVIL

SCALE BAR
0 5 10 m
1:200

KEY PLAN


PROJECT MANAGEMENT INITIALS

ZJ	JM	GR
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

06	21.08.2024	ISSUED FOR CONSTRUCTION
05	05.06.2024	ISSUED FOR APPROVAL
04	29.06.2023	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER
60616465

SHEET TITLE
GENERAL ARRANGEMENT PLAN
SHEET 3

SHEET NUMBER
60616465-019-SHT-1000-CI-0103

Last saved by: OUYANGY1 (2024-08-20) Last Plotted: 2024-08-21
Filename: C:\PWWORKING\AECOM_DS\10_AUIYING.OUYANG@AECOM.COM\D0415950\60616465-019-SHT-1000-CI-0103.DWG

ISO A1 594mm x 841mm

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- TCS# 0000 TCS PLAN REFERENCE
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE
- EXISTING STREETLIGHT POLE TO BE REMOVED
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- EXISTING GARDEN BED TO BE RETAINED
- PROPOSED TREE
- EXISTING TREES TO REMAIN

NORTON STREET

ON HOLD

FOVEAUX STREET

14.5
STREET ACTIVATION

16.2
PARKING (2.5 STANDARD PARKING SPACES)

23.7
PARKING (3.5 STANDARD PARKING SPACES)

REMOVE REDUNDANT DRIVEWAY OF 365-373A CROWN STREET

BRICK PAVERS TO BE REINSTATED IN CONCRETE DRIVEWAY

47.7
STREET ACTIVATION

DRIVEWAY

CONTINUATION - REFER TO SHEET 03

CONTINUATION - REFER TO SHEET 05

TCS# 0035

MCA01

CROWN STREET

DRIVEWAY

14.7
BUS ZONE

BUS SHELTER RETAINED

17.7 (5.4 + 6 + 6.3)
PARKING (3 STANDARD PARKING SPACES)

18.9
STREET ACTIVATION

EXISTING LOADING ZONE ON CROWN STREET TO BE RELOCATED TO FITZROY STREET

SHANNON RESERVE

FOVEAUX STREET

412-416 CROWN ST

FITZROY STREET

FITZROY PLACE

RICHARDS LANE

CONTINUATION - REFER TO INSET

CONTINUATION - REFER TO PLAN

INSET
Scale 1:200

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

Last saved by: OUYANGY1(2024-09-20) Last Plotted: 2024-08-21
Filename: C:\PWWORKING\AECOM_DS10_AUIYING.OUYANG@AECOM.COM\D0415950\60616465-019-SHT-1000-CI-0104.DWG

AECOM

CONSULTANT

AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT

Crown Street Improvements

CLIENT

CITY OF SYDNEY

SYDNEYCIVIL

SCALE BAR

0 5 10 m
1:200

KEY PLAN



PROJECT MANAGEMENT INITIALS

ZJ	JM	GR
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

09	21.08.2024	ISSUED FOR CONSTRUCTION
08	05.06.2024	ISSUED FOR APPROVAL
07	23.04.2024	ISSUED FOR CONSTRUCTION
06	05.04.2024	ISSUED FOR APPROVAL
05	29.06.2023	CONCEPT DESIGN
04	11.04.2023	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER

60616465

SHEET TITLE

GENERAL ARRANGEMENT PLAN
SHEET 4

SHEET NUMBER

60616465-019-SHT-1000-CI-0104

ISO A1 594mm x 841mm

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- PROPOSED TREE
- EXISTING TREES TO REMAIN
- TCS# 0000 TCS PLAN REFERENCE
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE

ON HOLD
SUBJECT TO TFNSW APPROVAL

PROPOSED ELECTRICAL PIT REFER DRAWING STREET LIGHTING PLANS DRAWING SERIES CI-0701 FOR FURTHER INFORMATION

351 CROWN ST

335 - 343 CROWN ST

396-388 CROWN ST

47.7 STREET ACTIVATION

5.4 PARKING (1 CAR PARKING SPACE)

33.8 (27.1 + 6.7) PARKING (SALVATION ARMY PARKING LENGTH, 1 NON-STANDARD PARKING SPACE)

9.2 PARKING (1 NON-STANDARD PARKING SPACE)

15.0 BUS ZONE

DRIVEWAY

CONTINUATION - REFER TO SHEET 04

CONTINUATION - REFER TO SHEET 06

MCA01

MCB01

MCC01

TCS# 0329

CROWN STREET

15.5 (6.3 + 5.4) PARKING (2 STANDARD PARKING SPACES)

23.7 PARKING (2 STANDARD PARKING SPACES, CHURCH ZONE PARKING = 12.3m)

ALBION STREET

BUS LANE

16.3 BUS ZONE

EXISTING BENCH REINSTATED TO SUIT NEW LEVELS

23.7 (5.4 + 6X2 + 6.3) PARKING (4 STANDARD PARKING SPACES)

2.7m PARKING REMOVED SUBJECT TO COS APPROVAL

JESMOND STREET

ON HOLD
SUBJECT TO DRAINAGE APPROVAL

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

CONSULTANT
AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT
Crown Street Improvements

CLIENT
CITY OF SYDNEY
SYDNEYCIVIL

SCALE BAR
0 5 10 m
1:200

KEY PLAN
DEVONSHIRE ST, JESSON ST, WITHERS ST, FOVEAUX ST, ALBION ST, RESERVOIR ST, CAMPBELL ST, OXFORD STREET, CROWN ST

PROJECT MANAGEMENT INITIALS

ZJ	GS	JM
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

8	23.04.2024	ISSUED FOR CONSTRUCTION
7	05.04.2024	ISSUED FOR APPROVAL
6	22.01.2024	ISSUED FOR CONSTRUCTION
5	08.12.2023	ISSUED FOR APPROVAL
4	29.06.2023	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER
60616465

SHEET TITLE
GENERAL ARRANGEMENT PLAN
SHEET 5

SHEET NUMBER
60616465-019-SHT-1000-CI-0105

Last saved by: TOWNSENDSW(2024-04-23) Last Plotted: 2024-04-23
Filename: C:_PROCESS\PROJECTS\60616465-INTERSECTION UPGRADES\019_CROWN_STREET\60616465-019-SHT-1000-CI-0105.DWG

ISO A1 594mm x 841mm

ANN STREET

319 CROWN ST

313 - 317 CROWN ST

311 CROWN ST

303-309 CROWN ST

299-301 CROWN ST

RESERVOIR STREET

285A CROWN ST

15.0
BUS ZONE

30.6 (6.3 + 3x6 + 6.3)
PARKING (5 STANDARD PARKING SPACES)

3.3

RAISED CROSSING SUBJECT TO TRANSPORT APPROVAL

9.3

EXISTING RAISED PLANTER BOX REMOVED AND REPLACED WITH PROPOSED BENCHES FINAL LAYOUT SUBJECT TO COS REVIEW

108.1 (= 6.3 + 6x15 + 5.5 + 6.3)
PARKING (17 STANDARD PARKING SPACES)

REFER TO DRAWING 0206 FOR TREATMENT TO HERITAGE COBBLE STONE DRIVEWAY

PROPOSED WATER FOUNTAIN CENTRALLY PLACED BETWEEN TREE GARDEN BEDS

EXISTING SPEED BUMP TO BE RECONSTRUCTED 75mm HIGH

DRIVEWAY

CONTINUATION - REFER TO SHEET 05

CONTINUATION - REFER TO SHEET 07

CROWN STREET

MCA01

23.7 (5.4 + 6X2 + 6.3)
PARKING (4 STANDARD PARKING SPACES)

23.1
PARKING (3.5 STANDARD PARKING SPACES)

6.0

8.4

2 BIKE RAILS

47.3 (6.3 + 6x5 + 6.3)
PARKING (7 STANDARD PARKING SPACES)

23.9
STREET ACTIVATION

21.7(6.3 + 6x2 + 6.3)
PARKING
(3 STANDARD PARKING SPACES)

CLIFTON RESERVE

358-262 CROWN ST

ON HOLD
SUBJECT TO
TfNSW APPROVAL

356 CROWN ST

352 CROWN ST

CROWN STREET PUBLIC SCHOOL

LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- 1 CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- 2 CONTINUOUS FOOTPATH TREATMENT ONLY
- 3 IN-LANE BUS STOP
- 3A KERBSIDE BUS STOP
- 4 RAISED PEDESTRIAN CROSSING
- 5 SIGNALISED RAISED PEDESTRIAN CROSSING
- 6 EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- TCS# 0000 TCS PLAN REFERENCE
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE
- EXISTING STREETLIGHT POLE TO BE REMOVED
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- EXISTING GARDEN BED TO BE RETAINED
- PROPOSED TREE
- EXISTING TREES TO REMAIN

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

AECOM

CONSULTANT

AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT

Crown Street Improvements

CLIENT

CITY OF SYDNEY

SYDNEYCIVIL

SCALE BAR

0 5 10 m
1:200

KEY PLAN



PROJECT MANAGEMENT INITIALS

ZJ	GS	RM
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

09	19.08.2024	ISSUED FOR CONSTRUCTION
08	22.01.2024	ISSUED FOR CONSTRUCTION
07	08.12.2023	ISSUED FOR APPROVAL
06	30.10.2023	WORK IN PROGRESS
05	26.10.2023	CONCEPT DESIGN
04	29.06.2023	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER

60616465

SHEET TITLE

GENERAL ARRANGEMENT PLAN
SHEET 6

SHEET NUMBER

60616465-019-SHT-1000-CI-0106

Last saved by: OUYANGY1 (2024-08-19) Last Plotted: 2024-08-19
Filename: C:\PWWORKING\AECOM_DS10_AUYING.OUYANG@AECOM.COM\D0415950\60616465-019-SHT-1000-CI-0106.DWG

ISO A1 594mm x 841mm

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

LEGEND

- EXTENT OF WORKS
- EXISTING INFRASTRUCTURE TO BE REMOVED
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- PROPOSED TREE
- EXISTING TREES TO REMAIN
- TCS# 0000 TCS PLAN REFERENCE
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- (3) (3A) BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED
- PROPOSED STREETLIGHT POLE
- PROPOSED TCS POST
- EXISTING STREETLIGHT POLE

ON HOLD
SUBJECT TO TfNSW APPROVAL

EXISTING BENCH SHIFTED TO INLANE BUILD OUT

BUS STOP SHIFT SUBJECT TO TfNSW APPROVAL

LIMIT OF WORKS OF THIS SHEET

71.6 (6.3 + 6x8 + 11 + 6.3)
PARKING (10 STANDARD PARKING SPACES, 1 NON-STANDARD PARKING SPACE)

15.0
BUS ZONE

20.0

CONTINUATION - REFER TO SHEET 06

CONTINUATION - REFER TO SHEET 08

820 830 840 850 860 870 873.255 880 890 900 910

MCA01

TCS# 0687

CROWN STREET

13.0
BUS DRAW OUT

21.7(6.3 + 6x2 + 6.3)
PARKING (3 STANDARD PARKING SPACES)

27.0
BUS ZONE

EXISTING BUS STOP LOCATION TO REMAIN

INSTALL DOUBLE KERB STEP. REFER TO DRAWING 0208 FOR FURTHER INFORMATION

EXISTING TAGGARTS LANE REGR ROADWORKS SUBJECT TO APPR(BY CoS TO ADJUST BOUNDARY LI

320 CROWN ST

CAMPBELL STREET

LITTLE BLOOMFIELD STREET

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

CONSULTANT
AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT
Crown Street Improvements

CLIENT
CITY OF SYDNEY
SYDNEYCIVIL

SCALE BAR
0 5 10 m
1:200

KEY PLAN
DEVONSHIRE ST, JESSON ST, WITHERS ST, FOVEAUX ST, ALBION ST, RESERVOIR ST, CAMPBELL ST, OXFORD STREET, CROWN ST

PROJECT MANAGEMENT INITIALS

ZJ	GS	RM
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION

09	22.01.2024	ISSUED FOR CONSTRUCTION
08	08.12.2023	ISSUED FOR APPROVAL
07	30.10.2023	WORK IN PROGRESS
06	26.10.2023	CONCEPT DESIGN
05	29.06.2023	CONCEPT DESIGN
04	11.04.2023	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER
60616465

SHEET TITLE
GENERAL ARRANGEMENT PLAN
SHEET 7

SHEET NUMBER
60616465-019-SHT-1000-CI-0107

Last saved by: MARJORIE.CALDA(2024-01-19) Last Plotted: 2024-01-22
Filename: C:\PWWORKING\AECOM_DS10_AU\MARJORIE.CALDA@AECOM.COM\D0415950\60616465-019-SHT-1000-CI-0107.DWG

ISO A1 594mm x 841mm

NOTES

1. FOR GENERAL NOTES REFER TO DRAWINGS 1000-CI-0005 AND 1000-CI-0006.
2. INTERSECTION MODIFICATIONS SUBJECT TO TFNSW APPROVAL.

LEGEND

- EXTENT OF WORKS
- (1) CONTINUOUS FOOTPATH TREATMENT AND BUILD OUT
- (2) CONTINUOUS FOOTPATH TREATMENT ONLY
- (3) IN-LANE BUS STOP
- (3A) KERBSIDE BUS STOP
- (4) RAISED PEDESTRIAN CROSSING
- (5) SIGNALISED RAISED PEDESTRIAN CROSSING
- (6) EXISTING RAISED THRESHOLD TO BE RENEWED
- PROPOSED BUS STOP FLAG
- EXISTING BUS STOP FLAG TO BE MAINTAINED
- EXISTING BUS STOP FLAG TO BE REMOVED
- PROPOSED TREE
- EXISTING TREES TO REMAIN
- TCS# 0000 TCS PLAN REFERENCE
- FOOTPATH WIDENING FOR STREET ACTIVATION
- FOOTPATH UPGRADE WITH CONCRETE UNIT PAVERS
- FOOTPATH REINSTATEMENT WITH GRANITE PAVERS
- FOOTPATH BUILD OUT
- CONTINUOUS FOOTPATH TREATMENT
- ROAD PAVEMENT (MILL AND RE-SHEET)
- BUS STOP
- EXISTING BRICK PAVING TO BE RETAINED
- EXISTING DINING ZONE TO BE RETAINED
- EXISTING DINING ZONE TO BE RELOCATED
- PROPOSED GARDEN BED WITH LOW GROWING SPECIES
- TREE WITHIN TREE PLANTING PIT
- PROPOSED STREETLIGHT POLE
- EXISTING STREETLIGHT POLE

265-271 CROWN ST

GOULBURN STREET

EXISTING GARDEN BEDS TO BE RETAINED

LIMIT OF WORKS OF THIS SHEET

55.6 (5.4 + 7.9 + 6x6 + 6.3)
PARKING (2 TAXI ZONE / STANDARD PARKING SPACES, 7 STANDARD PARKING SPACES)

13.3
STREET ACTIVATION

EXISTING FOOTPATH PAVERS TO BE RETAINED

EXISTING GARDEN BED TO BE RETAINED

ARNOLD PL

113-115 OXFORD ST

CONTINUATION - REFER TO SHEET 07

MCA01

CROWN STREET

EXTENT OF PAVEMENT MILL AND RE-SHEET TO BE CONFIRMED ON SITE

INSTALL DOUBLE KERB STEP. REFER TO DRAWING 0208 FOR FURTHER INFORMATION

MCD01

29.7 (5.4 + 6x3 + 6.3)
PARKING (5 STANDARD PARKING SPACES)

19.7
STREET ACTIVATION

18.7 (6.3 + 6 + 5.4 + 1)
PARKING (3 STANDARD PARKING SPACES)

284-288 CROWN ST

117-123 OXFORD ST

EXISTING TAGGARTS LANE REGRADED. ROADWORKS SUBJECT TO APPROVAL BY CoS TO ADJUST BOUNDARY LEVELS

TAGGARTS LANE

LITTLE OXFORD STREET

OXFORD STREET

RYDER STREET

This drawing is confidential and shall only be used for the purpose of this project. The signing of this title block confirms the design and drafting of this project have been prepared and checked in accordance with the AECOM quality assurance system to ISO 9001-2000.

AECOM

CONSULTANT

AECOM Australia Pty Ltd
A.B.N 20 093 846 925
www.aecom.com

PROJECT

Crown Street Improvements

CLIENT

CITY OF SYDNEY

SYDNEYCIVIL

SCALE BAR

0 5 10 m
1:200

KEY PLAN

DEVONSHIRE ST, JESSON ST, WITHERS ST, FOVEAUX ST, ALBION ST, RESERVOIR ST, CAMPBELL ST, OXFORD STREET, CROWN ST

PROJECT MANAGEMENT INITIALS		
ZJ	GS	RM
DESIGNER	CHECKED	APPROVED

PROJECT DATA

DATUM	MGA56	SURVEY	GDA 2020

ISSUE/REVISION		
06	31.07.2023	ISSUED FOR CONSTRUCTION
05	14.07.2023	ISSUED FOR APPROVAL
04	29.06.2023	CONCEPT DESIGN
03	24.03.2023	CONCEPT DESIGN
02	20.06.2022	CONCEPT DESIGN
01	15.02.2022	CONCEPT DESIGN
I/R	DATE	DESCRIPTION

FOR CONSTRUCTION

PROJECT NUMBER

60616465

SHEET TITLE

GENERAL ARRANGEMENT PLAN
SHEET 8

SHEET NUMBER

60616465-019-SHT-1000-CI-0108

Last saved by: TOWNSENDSW(2023-07-31) Last Plotted: 2023-07-31
Filename: C:_PROCESS\PROJECTS\60616465-INTERSECTION UPGRADES\019_CROWN_STREET\60616465-019-SHT-1000-CI-0108.DWG