



#### COMPONENTS:

- 1 Casting Component:
- 2 Braille Component:
- 3 Tactile Letters Component:
- 4 Base Component:

#### NOTES:

1. TACTILE BRAILLE SIGNS SHALL BE INSTALLED ON EVERY POLE WHERE TRAFFIC SIGNAL PUSH BUTTON EXISTS OR BEING INSTALLED. REFER TO 'LEGIBLE SYDNEY DESIGN MANUAL' FOR DETAILED SPECIFICATIONS.
2. SIZE, TYPE, CONTENT, LOCATION, MATERIAL AND INSTALLATION DETAILS OF ANY SIGNS SHALL BE SUBMITTED AND APPROVED BY CITY'S ELECTRICAL AND STREET FURNITURE'S ASSET MANAGEMENT TEAM.
3. TYPE, DESIGN, CONTENT, MESSAGING AND SIZE OF THE TACTILE SIGN VARIES DEPENDING ON THE TYPE OF THE POLE.
4. THIS DRAWING SHALL BE READ IN CONJUNCTION WITH DRAWING 6.3.3.
5. TACTILE/BRAILLE SIGNAGE SHALL BE LOCATED IN A STANDARD POSITION.
6. TACTILE/BRAILLE SIGNAGE SHALL BE PLACED ON THE RIGHT-HAND SIDE OF THE AUDIO TACTILE PEDESTRIAN CALL BUTTON.
7. THE CENTRE OF THE SIGN SHALL BE LEVEL WITH THE CENTRE OF THE AUDIO-TACTILE PEDESTRIAN CALL BUTTON.
8. ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED.